

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	O					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
4.0	0.5					○			20巻	15巻			
4.0	0.8					○				15巻			
4.0	1.0					○			25巻	15巻			
4.76	0.8									12巻			
5.0	0.8					○	○	25巻		10巻			
5.0	1.0					○				11巻			
6.0	0.6						○						
6.0	0.8				○	○	○		18巻	10巻			
6.0	1.0				○	○	○		15巻	8巻	6巻	3巻	2巻
6.0	1.2					○					5巻		
6.0	1.5			△		○							
6.35	0.6						○						
6.35	0.7						○						
6.35	0.8				○	○	○		16巻	10巻			
6.35	1.0				○	○	○		15巻	7巻			
6.35	1.2								10巻				
7.0	0.7						○						
7.0	0.8						○						
7.94	0.7						○						
7.94	0.8						○						
8.0	0.6						○						
8.0	0.7						○						
8.0	0.8					○	○		10巻	6巻			
8.0	1.0				○	○	○		10巻	6巻	4巻	2巻	1巻
8.0	1.2					○				5巻	3巻		
8.0	1.5					○				4巻			
8.0	2.0					○							
9.52	0.5			○		○							
9.52	0.6						○						
9.52	0.7						○						
9.52	0.76				○								
9.52	0.8			○	○	○	○		12巻	6巻			
9.52	1.0			○	○	○	○	12巻	10巻	5巻			
9.52	1.2					○			8巻				
9.52	1.5					○							
9.52	1.8						○						
10.0	0.6						○						

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	O					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
10.0	0.7						○						
10.0	0.8					○	○		10巻	4巻			
10.0	1.0				○	○	○		9巻	4巻	3巻	1巻	
10.0	1.2					○				4巻	2巻		
10.0	1.4					○					2巻		
10.0	1.5					○			6巻	3巻	2巻		
10.0	1.6					○					2巻		
10.0	2.0					○					2巻		
12.0	0.6						△						
12.0	1.0					○	○		7巻	4巻	2巻	1巻	
12.0	1.2					○				3巻	2巻		
12.0	1.5					○				2巻	2巻		
12.0	1.6					○					1巻		
12.0	2.0					○					1巻		
12.0	3.0					○							
12.7	0.5					○							
12.7	0.6						○						
12.7	0.7						○						
12.7	0.8			○	○	○	○		7巻	4巻			
12.7	0.89		○		○								
12.7	0.9						○						
12.7	1.0			○	○	○	○		7巻	3巻			
12.7	1.2			○	○	○	○						
12.7	1.4								4巻				
12.7	1.5					○				2巻			
12.7	2.4						○						
14.0	0.6						○						
14.0	0.7						○						
14.0	0.8						○						
14.0	1.0					○							
14.0	2.0			○									
15.0	1.0					○				3巻	2巻		
15.0	1.2					○					1巻		
15.0	1.4					○							
15.0	1.5					○					1巻		
15.0	1.6					○					1巻		
15.0	2.0					○							

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	O					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
15.88	0.5					○							
15.88	0.6			○		○	○						
15.88	0.7					○	○						
15.88	0.71	○	○										
15.88	0.8			○	○	○	○			3巻			
15.88	0.95						○						
15.88	1.0			○	○	○	○		5巻	2巻			
15.88	1.02		○		○								
15.88	1.2			○	○	○	○						
15.88	1.24		○										
15.88	1.5					○							
15.88	1.6						4M						
15.88	2.0				○	○							
16.0	0.6						○						
16.0	0.7						4M						
16.0	0.8						○						
16.0	1.0					○							
16.0	1.2					○							
16.0	1.5					○							
16.0	1.6					○							
16.0	2.0					○							
16.0	4.0			○									
18.0	1.5					○							
18.0	2.0					○							
19.0	4.0		△										
19.05	0.8			○	○	○	○						
19.05	1.0			○	○	○	○		4巻	2巻			
19.05	1.05					▼							
19.05	1.07		○		○								
19.05	1.2			○	○	○	○			2巻			
19.05	1.5					○							
19.05	1.6				○								
19.05	2.0					○							
19.05	2.4				○								
19.05	3.0					○							
20.0	1.0					○							
20.0	1.2					○							

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	O					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
20.0	1.5					○							
20.0	1.6					○							
20.0	1.8					○							
20.0	2.0					○				1巻			
22.0	1.2					○							
22.0	1.5					○							
22.0	2.0			○									
22.0	4.0			○									
22.0	5.0			○									
22.22	0.8						○						
22.22	0.81	○	○										
22.22	1.0			○	○	○	○			2巻			
22.22	1.1					○							
22.22	1.14		○		○								
22.22	1.2			○	▼	○	○						
22.22	1.5					○							
22.22	1.65		○										
22.22	1.8				○								
22.22	2.0					○							
25.0	1.2					○							
25.0	1.5					○							
25.0	1.6					○							
25.0	1.8					○							
25.0	2.0					○							
25.0	2.5					○							
25.0	3.0					○							
25.0	4.0			○									
25.0	5.0			○									
25.4	1.0			○	○	○	○						
25.4	1.2		○	○	○	○	○						
25.4	1.35				▼								
25.4	1.4				○	○							
25.4	1.5					○							
25.4	1.6					○							
25.4	2.0				○	○							
28.0	2.0					○							
28.58	0.89		○										

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	○					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
28.58	1.0		○	○	○	○							
28.58	1.1				○								
28.58	1.2		○	○	○	○	○						
28.58	1.27		○		○								
28.58	1.4			○									
28.58	1.5		○			○							
28.58	1.55				▼								
28.58	1.65		○										
28.58	2.0					○							
30.0	1.2			○	○								
30.0	1.6					○							
30.0	1.8					○							
30.0	2.0					○							
30.0	5.0			○									
31.75	0.7		○										
31.75	1.0			○		○							
31.75	1.1				○	○							
31.75	1.2			○	○	○	○						
31.75	1.4			○	○								
31.75	1.5		○	○									
31.75	1.7				▼								
31.75	2.0					○							
32.0	2.0					○							
34.92	1.0			○									
34.92	1.07		○										
34.92	1.1				○								
34.92	1.2			○	○	○							
34.92	1.4		○	○									
34.92	1.5		○										
34.92	1.65		○										
35.0	1.6					○							
35.0	2.0					○							
35.0	2.3					○							
38.0	2.0					○							
38.1	1.0			○									
38.1	1.15				○	○							
38.1	1.2			○	○	○							

<記号見方>

○…常時在庫 ▼…要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○…在庫品 △…売り切り ▼…要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	○					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
38.1	1.35				○								
38.1	1.4			○	○								
38.1	1.5		○	○		○							
38.1	2.0			○	▼								
40.0	2.0					○							
40.0	4.0			○									
40.0	5.0			○									
41.28	1.2			○	○	○							
41.28	1.24		○										
41.28	1.3				○								
41.28	1.4			○	○								
41.28	1.52		○										
41.28	1.83		○										
41.28	2.0			○									
44.45	1.2			○	○	○							
44.45	1.25				○	○							
44.45	1.3					○							
44.45	1.4				○	○							
44.45	1.5		○	○									
44.45	2.0					○							
45.0	2.0					○							
45.0	2.6					○							
50.0	5.0			○									
50.8	1.2		○	○									
50.8	1.4			○	○								
50.8	1.5			○	○	○							
50.8	2.0		○	○									
53.98	1.4				○								
53.98	1.47		○										
53.98	1.5			○	○	○							
53.98	1.78		○										
53.98	2.0			○									
53.98	2.11		○										
53.98	2.5		○										
55.0	2.0					○							
55.0	2.6					○							
63.5	1.6			○									

<記号見方>

○・・・常時在庫 ▼・・・要相談

銅管 (JIS H3300 C1220T りん脱酸銅管)

<記号見方>○・・・在庫品 △・・・売り切り ▼・・・要相談

外径 (φ)	肉厚 (t)	直管						コイル管 (在庫サイズには1箱の入数を明記)					
		H			1/2H		OL	O					
		2000	4000	5000	4000	5000	5000	5M	10M	20M	30M	50M	100M
63.5	1.75		○										
63.5	2.0		○	○									
63.5	3.0			○									
66.68	1.5		○	○									
66.68	1.65		○										
66.68	1.85		○										
66.68	2.0		○	○									
66.68	2.03		○										
66.68	2.41		○										
76.2	2.0		○	○									
76.2	3.0			○									
79.38	1.83		○										
79.38	2.0			○									
79.38	2.29		○										
79.38	2.77		○										
88.9	2.3			○									
101.6	2.0			○									
104.78	2.41		○										
104.78	2.79		○										
104.78	3.0			○									
114.3	3.0			○									
130.18	2.77		○										
130.18	3.0			○									
130.18	3.18		○										
155.58	3.1		○										

202301